



## AquaMax Eco Gravity

## For gravity fed filter systems on koi ponds and swim ponds



## **ACCESSORIES**

Product	Product details	Item no.	Item no. (GB-Version)		
Safety grid AquaMax Eco 2" > Page 146	Optional safety attachment for wet setup in a pump chamber, prevents unintentional debris reaching the suction inlet.	73536	-		
Rubber feet AquaMax Eco Gravity > Page 147	A secure AquaMax Eco Gravity stand for pump chambers in conjunction with a Bitron Premium.	73758	-		
Pumpshield > Page 147	50 x 50 cm, made from strong, durable fabric. Prevents early clogging of motors or nozzles in certain seasons.	34876	-		
AquaActiv PumpClean 500 ml > Page 370		40242	75806		

112 **OUTSIDE** 2022/2023



## **TECHNICAL DATA**

Product		AquaMax Eco Gravity 10000	AquaMax Eco Gravity 15000	AquaMax Eco Gravity 20000	
Dimensions (L x W x H)	mm	272 x 142 x 182			
Rated voltage		220 - 240 V / 50 Hz			
Power consumption	W	65	85	120	
Power cable length	m	10.00			
Net weight	kg	4.20 4.50			
Guarantee (+ request guarantee) .	Years	3 + 2			
Max. flow rate	I/min	166	250	300	
Max. flow rate	l/h	10000	15000	18000	
Max. head height, metres	m	1.30	1.80	2.20	
Pressure-side connection		G 2			
Suction-side connection		G 2			
Hose connection	mm	50			
Hose connection		2", DA 63, DN 75, DN 110			
Filter intake surface	cm <sup>2</sup>	200			
Max. coarse debris displacement	mm	6			
Electronic adjustment		No			
Setup type		Can be set up underwater & dry installed			
Item no. (GB-Version)			-		
Item no.		57091	57092	57093	

\*Guarantee valid under the guarantee conditions from OASE. Can be viewed at www.oase.com/guarantee Pump performance curve overview of pond pumps (> see page 148)





OASE LIVING WATER 113